

# USER GUIDE

The CNSOPB Data Management Centre (DMC) is designed to provide registered users with access to non-confidential petroleum exploration and production data from offshore Nova Scotia, subject to certain conditions.

Access to the DMC is facilitated via an online web map interface, accessible 24/7 globally using any standard web browser on a device connected to the internet. There is no requirement to install third-party plugins in order to use the interface.

Any technical questions or issues concerning access to the DMC should be forwarded to <u>dmcsupport@cnsopb.ns.ca</u>

#### DMC User Account Registration:

The URL to access the DMC is <a href="https://cnsopbdigitaldata.ca/">https://cnsopbdigitaldata.ca/</a>

First time users will need to click the '*Apply for an account*' link in order to register themselves, and agree to the Terms and Conditions. Submitted applications are then reviewed by CNSOPB, and an email will follow to confirm approval of the account, with a link to set your account password.

Existing account users who have forgotten their passwords can reset them by clicking the *'Forgotten your password'* link.

DMC DATA MANAGEMENT CENTRE		HOME	CONTACT US	GEOSCIENCE COLLECTIONS CNSOPB USER GUIDE DATA SUMMARY
CNSOPB DMC LC	DGIN			
Username (email)				Apply for an account
Password				Forgotten your password?
Login You must have Javaso	cript and Cookies enabled in your brow	rser to login to this website	Ca	nada-Nova Scotia Offshore Petroleum Board



#### DMC Web Map Interface orientation:

New login sessions to the DMC web map are preceded with a Data Access & Confidentiality Agreement statement, which the user must accept in order to proceed.

Following this, your DMC web map exploration can begin!

The interface has been designed to provide a straightforward and intuitive experience to the user, and little explanation is needed to get started. Navigation around the map is supported by left-mouse button drag, or finger-touch swiping on a touch-enabled tablet screen; Zoom-in and out of the map is facilitated by use of the two zoom buttons on the tool bar, mouse-wheel action, or pinch/zoom gestures on a tablet.

The top banner area provides links to a *DATA SUMMARY* page, a *CONTACT US* email link, and the *USER GUIDE* pdf link (this document).



**Data Summary** provides a link to a page with a breakdown of the quantities of map features and linked PDF items loaded for each of the different data categories. This is also a useful starting point in order to discover the names of the drilled boreholes and various seismic programs currently shown in the DMC, alongside Operator names and Year spudded/acquired.

DMC	CENTRE		H	ME CON	TACT US	GEOSCI	ENCE COLLE	CTIONS	CNSO LOC
SOPB DMC Summar	ry of Loade	d Data							
ummary Boreholes	2D Seismic	Programs	3D Seismic Programs						
	es are loaded ir D Number			e 6047 linked	l items	Spudded	Linked Items		
Borehole Name			Operator	e 6047 linked	l items	Spudded	Linked Items		
Borehole Name ABENAKI J-56	D Number	UWI	Operator D SHELL	e 6047 linked	l items	•			
Borehole Name ABENAKI J-56 ABENAKI L-57	D Number D010	UWI 300J564420059450	Operator D SHELL D SHELL		l items	1970	13		
Borehole Name ABENAKI J-56 ABENAKI L-57 ACADIA K-62	D Number D010 D016	UWI 300J564420059450 300L574420059450	Operator           0         SHELL           0         SHELL           0         SHELL           0         CHEVRON-PEX-SHELL		l items	1970 1970	13 17		
Borehole Name ABENAKI J-56 ABENAKI L-57 ACADIA K-62 ADAMANT N-97	D Number D010 D016 D171	UWI 300J564420059450 300L574420059450 300K624300061450	Operator           0         SHELL           0         SHELL           0         CHEVRON-PEX-SHELL           0         CHEVRON-PEX-SHELL           0         MOBIL		l items	1970 1970 1978	13 17 24		
Borehole Name ABENAKI J-56 ABENAKI L-57 ACADIA K-62 ADAMANT N-97 ADVENTURE F-80	D Number           D010           D016           D171           D369	UWI 300J564420059450 300L574420059450 300K62430006145 300N97440006000	Operator           0         SHELL           0         SHELL           0         CHEVRON-PEX-SHELL           0         CHEVRON-PEX-SHELL           0         MOBIL           0         MOBIL-TETCO-GULF		l items	1970 1970 1978 2000	13 17 24 64		
ABENAKI J-56 ABENAKI J-56 ABENAKI L-57 ACADIA K-62 ADAMANT N-97 ADVENTURE F-80 AKPATOK ISLAND F-26 ALBATROSS B-13	D Number D010 D016 D171 D369 D144	UWI 300J564420059450 300L574420059450 300K62430006145 300N97440006000 300F804520057450	Operator           0         SHELL           0         SHELL           0         CHEVRON-PEX-SHELL           0         MOBIL           0         MOBIL           0         MOBIL-TETCO-GULF           0         PREMIUM-HOMESTER		l items	1970 1970 1978 2000 1975	13 17 24 64 15		




## DMC Web Map Interface Search & Select:

There are a number of approaches that the user may take in order to select, view and retrieve data loaded to the DMC.

The simplest approach – perhaps useful to the user who can already pinpoint a particular borehole or 3D program of interest – is **simple point-and-click** to select a feature. This action will result in a pop-up window display with two tab views. The first 'Attributes' tab displays the metadata of the selected feature, whilst the 'Linked Documents' tab provides a tabular list of all the loaded items associated with the feature. A text entry box provides on-the-fly list filtering in order to find e.g. all Reports associated with a selected borehole.

Viewing of items directly in the interface is achieved by clicking on one of the item rows, which will load the PDF file into the browser's PDF viewer.

Download of items is enabled by clicking the 'Add All to Selected Items' button in the bottom right of the pop-up. This adds the items to the Selected Items area (top right of the interface), from where the user can proceed to download all listed data items (more on this later).






A second approach is to use the **Search and Select** function available from the toolbar.

This can be used to select features by one of two methods: the first is to use the 'Select an area by dragging a rectangle', enabling features to be selected graphically (but note that there is a maximum selection area size of 10,000 square km).

A second, more guided method, is to use the Search box to enter a known feature name, or to use the Browse for Features box in conjunction with this.



A third approach is to bypass the basemap display and to select items directly from the **tabular list displays** that can be accessed by clicking on the tabs above the toolbar.

These tabs display the entire list (showing 25 entries per page by default – although this can be changed to a maximum of 100) of items loaded for each of the three layer categories.



Selecting items using the **tabular list displays** is perhaps most useful when selecting all items associated with a particular 2D seismic program. Use the Search box feature to type in the name of a 2D program, and this will filter all item records for that program. The screenshot beneath show the 2D items listed under program '8620-N011-001E'. Note that clicking in the ID cell for an item will launch the item viewer, whilst item metadata can be viewed by clicking in the Line Name cell.

		DATA MANAGEMENT CENTRE	welcome gareth@lynx-info.com - logout						
Basemap	3D Seismic	Programs 2D Seismic	Programs Boreholes						Selected Ite
how 25	<ul> <li>entries from</li> </ul>	n dataset 🛛 🔁 Add To Se	lected Items					:h: 8620-NO	11-001E
ID \$	Line Name +	CNSOPB Program No \$	Operator ¢	Year ¢	Report Name ≎	Description \$	Date ¢	File Size 0	Last Modified 4
2362246	<u>01A</u>	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Interactive seismic viewer - line 1A PSTM STACK RAW	SEG-Y file		12.1MB	13 Jul 2018
2351472	01A	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Mig line 1A	Seismic 2D line profile scan		3.1MB	26 Feb 2010
2351473	01B	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Mig line 1B	Seismic 2D line profile scan		5.6MB	26 Feb 2010
2362247	<u>01B</u>	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Interactive seismic viewer - line 1B PSTM STACK RAW	SEG-Y file		22.3MB	13 Jul 2018
2362248	<u>02A</u>	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Interactive seismic viewer - line 2A PSTM STACK RAW	SEG-Y file		12.3MB	13 Jul 2018
2351474	02A	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Mig line 2A	Seismic 2D line profile scan		3.2MB	26 Feb 2010
2351475	02B	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Mig line 2B	Seismic 2D line profile scan		8.7MB	26 Feb 2010
2362249	<u>02B</u>	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Interactive seismic viewer - line 2B PSTM STACK RAW	SEG-Y file		29.8MB	13 Jul 2018
2362250	<u>02C</u>	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Interactive seismic viewer - line 2C PSTM STACK RAW	SEG-Y file		15.9MB	13 Jul 2018
2351476	02C	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Mig line 2C	Seismic 2D line profile scan		4.3MB	26 Feb 2010
2351477	<u>03A</u>	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Mig line 3A	Seismic 2D line profile scan		3.3MB	26 Feb 2010
2362251	<u>03A</u>	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Interactive seismic viewer - line 3A PSTM STACK RAW	SEG-Y file		12.4MB	13 Jul 2018
2362252	<u>03B</u>	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Interactive seismic viewer - line 3B PSTM STACK RAW	SEG-Y file		36.1MB	13 Jul 2018
2351478	<u>03B</u>	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Mig line 3B	Seismic 2D line profile scan		9.0MB	26 Feb 2010
2351479	03C	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Mig line 3C	Seismic 2D line profile scan		4.3MB	26 Feb 2010
2362253	<u>03C</u>	8620-N011-001E	NOVA SCOTIA RESOURCES LIMITED		Interactive seismic viewer - line 3C PSTM STACK RAW	SEG-Y file		16.1MB	13 Jul 2018

Clicking the 'Add to Selected Items' button will transfer all records *per page* to the **Selected Items** area. So for large lists of items, it is sensible to show the maximum list of 100 entries in order to reduce the number of pages and hence the button-clicking needed.

From the Selected Items area, click 'Zip and Download' in order to download the files to your local drive area.

	ATA DATA SUI IANAGEMENT ENTRE welcome	gareth@lynx-info.com -	logout				····	
Basemap 3D Seismic Prog	rams 2D Seismic Programs	Boreholes					Selected	d Item
28 files, total size: 1.2GB	Zip and Download 🛛 🏦 Clea	r List				arch:		
ayer 🔺	Feature Name ≎	ID ¢	Report Nar	me ¢	Description ¢		File size ≎	
D Seismic Programs	8620-N011-001E 46	2351532	Mig line 46	5	Seismic 2D line profile scan		2.6MB	X
D Seismic Programs	8620-N011-001E 46	2362235	Interactive RAW	seismic viewer - line 46 PSTM STACK	SEG-Y file		6.9MB	×
D Seismic Programs	8620-N011-001E 47	2362236	Interactive RAW	LYNX iXplor Geoviewer Download 30			7.4MB	x
D Seismic Programs	8620-N011-001E 47	2351533	Mig line 4	Download 128 selecte		2.3MB	X	
D Seismic Programs	8620-N011-001E 48	2351534	Mig line 48				2.2MB	X
D Seismic Programs	8620-N011-001E 48	2362237	Interactive RAW				7.7MB	×
D Seismic Programs	8620-N011-001E 49	2362238	Interactive RAW				8.6MB	×
D Seismic Programs	8620-N011-001E 49	2351535	Mig line 49				2.4MB	x
D Seismic Programs	8620-N011-001E 9	2351495	Mig line 9				8.1MB	X
D Seismic Programs	8620-N011-001E 9	2362239	Interactive RAW				32.2MB	x



### Interactive SEG-Y and LAS viewers:

A number of boreholes and a smaller number of 2D/3D programs have digital vector data available for download. The DMC web map provides the option to load and enable viewing of these data types via two interactive viewers (Lynx *iSeisview* and *iLogview*) which work to render and serve SEG-Y and LAS records securely over the internet.

Currently, LAS files can be viewed for 3 boreholes: CREE E-35, DOMINION J-14 & MARCOH D-41. SEG-Y files can be viewed for the 2D program 8620-N011-001E and the 3D program NS24-N011-001E

